,	Application No.	Applicant(s)
Notice of Allowability	09/970,474	GEAGHAN ET AL.
	Examiner	Art Unit
	Peng Ke	2174
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communing GHTS. This application is su	this application. If not included nication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to $\underline{1/16/07}$.		
2. X The allowed claim(s) is/are 1-8 and 10-14.		
 Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application	No
International Bureau (PCT Rule 17.2(a)).		
Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	•	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the he header according to 37 CFF	e drawings in the front (not the back) of R 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		. •
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. T Notice of Info	ormal Patent Application
2. Notice of References Cited (F10-092) Notice of Draftperson's Patent Drawing Review (PT0-948)	· = · · = ·	mmary (PTO-413),
,	Paper No.//	Mail Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🖾 Examiner's :	Statement of Reasons for Allowance
C. Cloregioci meteric		Bustine Vincaid
	Stras	EVAMNER 200 COLUMN COLU

Application/Control Number: 09/970,474

Art Unit: 2174

EXAMINER'S AMENDMENT

An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 3/12/07, Steven Bern requested an extension of time for 2 MONTH(S) and authorized the Director to charge Deposit Account No. 133723 the required fee of \$450.00 under 37 CFR 1.17(a)(2) for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- 1. A method for distinguishing between two or more temporally overlapping touch inputs in a touch screen system comprising:
 - (a) measuring signals caused by the two or more touch inputs;
 - (b) measuring positional data for the touch inputs;
- (c) determining whether any of the signals exceeds a minimum threshold for a single touch input;
- (d) determining whether any of the signals exceeds a maximum threshold for a single touch input; and
- (e) Calculating and reporting to the touch screen system a touch location using positional data that corresponds to any of the signals that exceeds the minimum threshold but that does not exceed the maximum threshold—: and

Aft Unit: 2174

Wherein different minimum and maximum threshold values can be assigned to different users.

Claims 9 and 15-38 are cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: prior arts fail to show individually or in combination that "wherein different minimum and maximum threshold values can be assigned to different users."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peng Ke whose telephone number is (571) 272-4062. The examiner can normally be reached on M-Th and Alternate Fridays 8:30-5:00.

Application/Control Number: 09/970,474

Art Unit: 2174

Contact Information

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine L. Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Peng Ke